

PRE-APPEAL BRIEF REQUEST FOR REVIEW

Docket Number (Optional)

YAMAP0880US

I hereby certify that this correspondence is being file via EFS-Web.

on **October 4, 2007**Signature **/Mark D. Saralino/**Typed or printed name **Mark D. Saralino**

Application Number

10/615,816

Filed

July 9, 2003

First Named Inventor

Graham R. Jones, et al.

Art Unit

2621

Examiner

Allen C. Wong

Applicant requests review of the final rejection in the above-identified application. No amendments are being filed with this request.

This request is being filed with a notice of appeal.

The review is requested for the reason(s) stated on the attached sheet(s).

Note: No more than five (5) pages may be provided.

I am the

☐

applicant/inventor.

/Mark D. Saralino/

Signature

☐

assignee of record of the entire interest.

Mark D. SaralinoSee 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed.
(Form PTO/SB/96)

Typed or printed name

☒

attorney or agent of record.

216.621.1113Registration number **34,243**

Telephone number

☐

attorney or agent acting under 37 CFR 1.34.

October 4, 2007

Registration number if acting under 37 CFR 1.34 _____

Date

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required.

Submit multiple forms if more than one signature is required, see below*.

☐

*Total of _____ forms are submitted.

This collection of information is required by 35 U.S.C. 132. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11, 1.14 and 41.6. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop AF, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

Privacy Act Statement

The **Privacy Act of 1974 (P.L. 93-579)** requires that you be given certain information in connection with your submission of the attached form related to a patent application or patent. Accordingly, pursuant to the requirements of the Act, please be advised that: (1) the general authority for the collection of this information is 35 U.S.C. 2(b)(2); (2) furnishing of the information solicited is voluntary; and (3) the principal purpose for which the information is used by the U.S. Patent and Trademark Office is to process and/or examine your submission related to a patent application or patent. If you do not furnish the requested information, the U.S. Patent and Trademark Office may not be able to process and/or examine your submission, which may result in termination of proceedings or abandonment of the application or expiration of the patent.

The information provided by you in this form will be subject to the following routine uses:

1. The information on this form will be treated confidentially to the extent allowed under the Freedom of Information Act (5 U.S.C. 552) and the Privacy Act (5 U.S.C. 552a). Records from this system of records may be disclosed to the Department of Justice to determine whether disclosure of these records is required by the Freedom of Information Act.
2. A record from this system of records may be disclosed, as a routine use, in the course of presenting evidence to a court, magistrate, or administrative tribunal, including disclosures to opposing counsel in the course of settlement negotiations.
3. A record in this system of records may be disclosed, as a routine use, to a Member of Congress submitting a request involving an individual, to whom the record pertains, when the individual has requested assistance from the Member with respect to the subject matter of the record.
4. A record in this system of records may be disclosed, as a routine use, to a contractor of the Agency having need for the information in order to perform a contract. Recipients of information shall be required to comply with the requirements of the Privacy Act of 1974, as amended, pursuant to 5 U.S.C. 552a(m).
5. A record related to an International Application filed under the Patent Cooperation Treaty in this system of records may be disclosed, as a routine use, to the International Bureau of the World Intellectual Property Organization, pursuant to the Patent Cooperation Treaty.
6. A record in this system of records may be disclosed, as a routine use, to another federal agency for purposes of National Security review (35 U.S.C. 181) and for review pursuant to the Atomic Energy Act (42 U.S.C. 218(c)).
7. A record from this system of records may be disclosed, as a routine use, to the Administrator, General Services, or his/her designee, during an inspection of records conducted by GSA as part of that agency's responsibility to recommend improvements in records management practices and programs, under authority of 44 U.S.C. 2904 and 2906. Such disclosure shall be made in accordance with the GSA regulations governing inspection of records for this purpose, and any other relevant (i.e., GSA or Commerce) directive. Such disclosure shall not be used to make determinations about individuals.
8. A record from this system of records may be disclosed, as a routine use, to the public after either publication of the application pursuant to 35 U.S.C. 122(b) or issuance of a patent pursuant to 35 U.S.C. 151. Further, a record may be disclosed, subject to the limitations of 37 CFR 1.14, as a routine use, to the public if the record was filed in an application which became abandoned or in which the proceedings were terminated and which application is referenced by either a published application, an application open to public inspection or an issued patent.
9. A record from this system of records may be disclosed, as a routine use, to a Federal, State, or local law enforcement agency, if the USPTO becomes aware of a violation or potential violation of law or regulation.

Application No.: 10/615,816

Case No: YAMAP0880US

PATENT

CERTIFICATE OF MAILING OR ELECTRONIC TRANSMISSION UNDER 37 CFR 1.8(a)

I hereby certify that this paper (along with any paper referred to as being attached or enclosed) is _____ being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Commissioner for Patents address below.

X being transmitted via EPS or facsimile to (571) 273-8300 (Centralized Facsimile Number) at the U.S. Patent and Trademark Office to the Attention of **Examiner Allen C. Wong**.

/Mark D. Saralino/
Mark D. Saralino

October 4, 2007
Date

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Graham R. JONES et al.

Application No.: 10/615,816

Filing Date: July 9, 2003

For: AUTOSTEREOSCOPIC DISPLAY

Examiner: Allen C. Wong

Art Unit: 2621

**Mail Stop AF
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450**

PRE-APPEAL BRIEF REQUEST FOR PANEL REVIEW

Sir:

This Pre-Appeal Brief Request for Panel Review is being filed together with a Notice of Appeal.

REMARKS

Claims 1-47 are pending in the application. Applicants respectfully submit that there is a clear deficiency in the *prima facie* case in support of the outstanding rejection. Applicants respectfully request review by the Panel.

I. WOODGATE ET AL. DOES NOT TEACH A TRANSFLECTIVE SPATIAL LIGHT MODULATOR

Claims 1-47 stand rejected under 35 USC §102(b) based on *Woodgate et al.*

Prosecution of the present application has centered on the issue of whether *Woodgate et al.* teaches a *transflective* spatial light modulator. Applicants have pointed out that *Woodgate et al.* does not teach a *transflective* spatial light modulator as recited in claims 1 and 24. Rather, *Woodgate et al.* teaches a *transmissive* spatial light modulator.

The Examiner has responded to the applicants' arguments by maintaining the position that *Woodgate et al.* teaches a *transflective* spatial light modulator, and thus satisfies the element of the claims. Applicants respectfully submit that such assertion is in error and represents a clear deficiency in the basis for the rejection.

a. Reflective, Transmissive and Transflective are Well Known in the Art

Those having ordinary skill in the art are readily familiar with reflective, transmissive, and transflective type displays and the differences therebetween. For example, U.S. Patent No. 6,281,952, issued in August 2001, describes the basic principles of operation for each of these types of displays.

On the other hand, liquid crystal displays have been put into practical use as color displays which display characters and/or images not by emitting the display light, but by adjusting an amount of transmitted light from a particular light source. These liquid crystal displays include a *transmission* type and a *reflection* type. Of the two types, particularly popular are the liquid crystal displays of the *transmission* type which employ a light source called "back light" at the back side, namely, behind the liquid crystal cell.

... [I]t becomes too difficult to observe the display light on the color liquid crystal displays of the *transmission* type when they are used under the circumstances where the ambient light is very strong and the display light is relatively weak. This problem can be eliminated by using brighter back light, but this solution raises another problem that the power consumption is further increased.


... [L]iquid crystal displays of the reflection type do not use the back light for the display, and therefore, have another advantage that the power for keeping the back light turned ON can be saved. For the above reasons, the liquid crystal displays of the reflection type are particularly suitable as the devices for the outdoor use, such as portable information terminals, digital cameras, and portable video cameras.

However, since these conventional liquid crystal displays of the reflection type use the ambient light for the display, the display luminance largely depends on the surrounding environment, and when used under the circumstances where the ambient light is weak, there arises a problem that the display content can not be observed.

On the other hand, liquid crystal displays, employing a transflective film which transmits a part of incident light and reflects the rest, have been put into practical use as the liquid crystal displays which can be used under the circumstances where the ambient light is weak while maintaining the advantages of the liquid crystal displays of the reflection type. *The liquid crystal displays using both the transmitted light and reflected light* are generally referred to as the liquid crystal displays of the transflective type. (Emphasis Added).

In view of the above, as well as from countless other references available, it is clear that reflective, transmissive and transflective type displays or spatial light modulators are well recognized as three different types of devices. Each of these types has their own respective principles of operation.

b. Woodgate et al. Does Not Teach a Transflective Spatial Light Modulator



As illustrated in the marked up version of Fig. 1 shown above, *Woodgate et al.* does not teach or suggest a *transflective* display. Rather, *Woodgate et al.* teaches


a *transmissive* type display. This is clear from the specification in *Woodgate et al.*, to wit:

i) The display device illustrated in FIG.1 comprises an illumination system in the form of a pair of light sources 1,2 arranged to emit plane polarized light...The emitted light is incident upon an optical system comprising a lens 3 arranged to image the light so as to produce an image of the first light source 1 at a first viewing zone 6a and an image of the second light source 2 at a second viewing zone 6b... (Col. 3, Ins. 54-65 of *Woodgate et al.*);

ii) The light transmitted by the lens 3 is [incident] upon a spatial light modulator (SLM) 4 in the form of a liquid crystal device comprising a plurality of liquid crystal picture elements... (Col. 3, ln. 66 to Col. 4, ln. 4); and

iii) The SLM further comprises an array of polarization adjusting means 5 each of which is adjacent and aligned with a respective picture element of the SLM 4. The polarization adjusting means are of two types, one type 5a being substantially transparent to light of the polarization of the first light source and substantially opaque to light from the second light source, and the other type 5b being substantially transparent to light from the second light source 2 but substantially opaque to light from the first light source... (Col. 4, Ins. 5-13).

In other words, *Woodgate et al.* represents a conventional transmissive SLM 4 in combination with various other optical elements. There are no reflective structures or layers to provide both transmissive and reflective based operation. Simply stated, *Woodgate et al.* does not teach or suggest a transfective type SLM, or such a transfective type SLM in combination with other optical elements in the manner recited in present claims 1-47.



As further explanation, Fig. 2 of *Woodgate et al.* (reproduced above) illustrates that:

iv) The device illustrated in Fig. 2 differs from that illustrated in Fig. 1 in that light sources 1,2 and the lens 3 are replaced by an illumination system, which comprises a single extended light source or 'backlight' 9 and a polarizing panel 10... (Col. 4, Ins. 54-62 of Woodgate et al.).

v) The SLM 4 is ... arranged to modulate the incident light to form the desired image.... Half of the polarization adjusting elements transmit light of the first polarization while substantially preventing transmission of the light of the second polarization whereas the other half of the polarization adjusting elements transmit light of the second polarization while substantially preventing transmission of light of the first polarization... (Col. 5, Ins. 6-22).

In view of the aforementioned disclosures i) - iv) of *Woodgate et al.*, and as noted in the marked-up versions of Figs. 1 and 2 of *Woodgate et al.*, applicants respectfully submit that a person having ordinary skill in the art would appreciate that SLM 4 of *Woodgate et al.* is strictly a transmissive device, and is not a *transflective* device in which the SLM 4 also reflects ambient light.

The other figures and embodiments of *Woodgate et al.* similarly illustrate that *Woodgate et al.* does not teach or suggest a transflective SLM as recited in claims 1 and 24. Accordingly, applicants respectfully submit that the Examiner mischaracterizes *Woodgate et al.* as teaching a transflective SLM in accordance with conventional usage of the term.

II. CONCLUSION

Accordingly, all claims 1-47 are believed to be allowable and the application is believed to be in condition for allowance. Reversal of the rejection is respectfully requested.

Respectfully submitted,
RENNER, OTTO, BOISSELLE & SKLAR, LLP

/Mark D. Saralino/
Mark D. Saralino
Reg. No. 34,243

DATE: _____
October 4, 2007

The Keith Building
1621 Euclid Avenue
Nineteenth Floor
Cleveland, Ohio 44115
(216) 621-1113